

- Milesina* rusts on *Aspidium Braunii* Spenner, 218
- Milesina exigua*, 218**
- Mimosa pudica*, 248
- Murraea exotica*, 236
- Murraya crenulata*, 235
— *exotica*, 236
- Myrica Seguini*, 280
- Myrtus aneityensis*, 254**
- New Hebrides, Contribution to the flora of the, plants collected by S. F. Kajewski in 1928 and 1929, 221, 3 figs.
- New Hebrides, Two Pandanaceae collected by S. F. Kajewski from the, 269
- New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum, 59, fig.
- Notes on Chinese plants, 270
- Notes on the ligneous plants described by H. Léveillé from eastern Asia, 275
- Notulae systematicae ad floram sinensem*, III, 151
- Olea acuminata*, 76
— *fragrans*, 309
— *ovalis*, 76
— *Thunbergii*, 76, 309
- Oleandra angusta*, 47**
- On the occurrence of *Casuarina nodiflora* Forst. in Australia, 197
- Oncodostigma Wilsonii*, 224**
- Origin and relationships of the Pomoideae, 3, pl. 28
- Osmanthus fragrans*, 76
- Paliurus australis*, 74
— — *orientalis*, 75
- Hemsleyanus*, 74**
- *orientalis*, 75
— *orientalis*, 74
— *sinicus*, 75
- PALMER, E. J. Conspectus of the genus *Amorpha*, 157, 49 figs., pl. 36
- Palms collected in the Territory of Papua (British New Guinea), Four new, 264
- Pandanaceae from the New Hebrides collected by S. F. Kajewski, Two, 269
- Pandanus Cominsii*, 269
- Pandorea* from northeast Queensland, Australia, A previously undescribed, 149, pl. 35
- Pandorea nervosa*, 149, pl. 35
- Papua (British New Guinea), Four new Palms collected by L. J. Brass in the Territory of, 264
- Parosela glandulosa*, 196
- Passiflora aurantia*, 262
- Pathological Laboratory, the Arnold Arboretum during the fiscal year ended June 30, 1931, 297
- Pemphis acidula*, 261
- Philadelphus coronarius chinensis*, 275
— *Henryi*, 275
— *Magdalena*, 275
— *pekinensis*, 275
- Photinia crenato-serrata*, 72
- Pieris ovalifolia hebecarpa*, 275
- Pittosporum aneityense*, 225**
- *Campbellii*, 226
— *Cavaleriei*, 280
— *glabratum*, 280
— *rhytidocarpum*, 226
— *trigonocarpum*, 280
— *truncatum*, 280
— *yunnanense*, 76
- Polyalthia nitidissima*, 224
- Polyploidy in the Betulaceae, 206
- Pomoideae, the origin and relationships of the, 3, pl. 28
- Pongamia glabra*, 246
— *mitis*, 246
— *pinnata*, 246
- Populus balsamifera*, 60, 67
— — *intermedia*, 66
— — *laurifolia*, 64
— — *Simonii*, 64
— — *suaveolens*, 60, 64, 67
— *brevifolia*, 64
— ***cathayana*, 59**
— — ***Schneideri*, 63**
— *laurifolia Simonii*, 63
— *Przewalskii*, 63
— — *microphylla*, 64
— *pseudo-balsamifera*, 67
— *Simonii*, 63
— — ***Przewalskii*, 66**
— *suaveolens*, 67
— — *pyramidalis*, 68
— *suaveolens*, 59, 64
— — *angustifolia*, 64
— — *latifolia*, 67
— — *Przewalskii*, 64
— — *var. a.*, 63
— *szechuanica*, 60

- Porana sinensis*, 156
Poupartia chinensis, 270
Premna Merinoi, 277
 Previously undescribed Pandorea from northeast Queensland, Australia, A, 149, pl. 35
 Pteridophytes collected for the Arnold Arboretum on Vanikoro, Santa Cruz Islands, by S. F. Kajewski, 46
Pueraria Thunbergiana, 245
Pyracantha crenato-serrata, 72
 — *crenulata*, 72
 — — *yunnanensis*, 72
 — *Gibbsii*, 72
 — — *yunnanensis*, 72
 — *yunnanensis*, 72
Pyrus scabrifolia, 71
 REHDER, ALFRED, Illustrations of Eucalyptus [review], 147
 — — New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum, 59, fig.
 — — Notes on the ligneous plants described by H. Léveillé from eastern Asia, 275
 — — A Silvicultural study of *Abies pinsapo* [review], 219
 — — Species of Rhododendron [review], 146
Rhizophora conjugata, 252
 — *mucronata stylosa*, 252
Rhododendron minutiflorum, 155
Rhus retusa, 242
Rhus verniciflua and Japanese damascene ware, I, pl. 27
Ribes laurifolium, 279
 — *pachysandroidea*, 279
Robinsonella, A synopsis of, 49, 7 figs.
Robinsonella, 49
 — *cordata*, 57, fig. 6
 — *discolor*, 55, fig. 4
 — *divergens*, 53, fig. 2
 — *edentula*, 54, fig. 3
 — *Lindeniana*, 51, fig. 1
 — *pilosa*, 58, fig. 7
 — *subcordata*, 56, fig. 5
 ROUSH, EVA M. FLING, A synopsis of *Robinsonella*, 49, 7 figs.
Rubus neo-ebudicus, 249
Rysopteris timorensis, 233
 SAX, KARL, Chromosome numbers in the ligneous Saxifragaceae, 198, pl. 37
 — — The origin and relationships of the Pomoideae, 3, pl. 28
 Saxifragaceae, Chromosome numbers in the ligneous, 198, pl. 37
Schefflera Delavayi, 271
 — — *ochrascens*, 271
 — *discolor*, 271
 — sp., 263
Schizophragma hydrangeoides, 278
Semecarpus sp. nov., 244, fig. 3
 — *tannaensis*, 242
Serianthes myriadenia, 249
 — *vitiensis*, 249
Sida Ghisbrightiana, 51
 — *Lindeniana*, 51
 Silvicultural study of *Abies pinsapo*, A, [review], 219
Solomonia ciliata, 196
Sonneratia acida, 262
Sophora sp., 247
 — *tomentosa*, 246
 Species of Rhododendron [review], 146
Sphaeropsis ulmicola, 292
Spondias chinensis, 270
 STEENIS, C. G. G. VAN, A previously undescribed Pandorea from northeast Queensland, Australia, 149, pl. 35
 — — On the occurrence of *Casuarina nodiflora* Forst. in Australia, 197
Stephania Forsteri, 225
Sterculia banksiana, 229
 — *tannaensis*, 230
Strobilanthes neo-ebudicus, 263
Strongylodon lucidus, 245
 Studies in Ganoderma, 25, fig., pl. 29, 30
 Study of chromosome number in two genera of Berberidaceae: *Mahonia* and *Berberis*, 281
Styrax Esquirolii, 276
 Synopsis of *Robinsonella*, A, 49, 7 figs.
Syzygium aneityense, 256
 — *Kajewskii*, 256
 — *neepau*, 257
 — *nidie*, 257
 — *nomoa*, 258
 — sp., 258
 — ?, 258
Taxus cuspidata Thayerae, 59
Tectaria grandifolia, 47
Terminalia Catappa, 253

- Thespesia populnea*, 229
Three species of *Botryodiplodia* (Sacc.)
on Elm trees in the United States, 289
fig., pl. 38, 39
Tieghemopanax fruticosus, 263
— **neo-ebudarum**, 264
Tilia Baroniana investita, 75
— *chinensis Baroniana*, 76
— — *investita*, 75
Triumfetta sp., 231
Two Pandanaceae from the New Hebrides
collected by S. F. Kajewski, 269
Vaccinium affine, 274
— *Donianum*, 272, 274
— — *austrosinense*, 274
— — *hangchouense*, 272
— — *laetum*, 274
— *Donnianum*, 274
— *hangchousense*, 272
— *laetum*, 274
— *mandarinorum*, 272
— — *austrosinense*, 274
— *parvibracteum*, 272
Vanikoro, Santa Cruz Islands, Pteridophytes collected for the Arnold Arboretum by S. F. Kajewski, on, 46
Vatica cordata, 156
Viburnum Bodinieri, 77
— *phlebotrichum*, 77
— *setigerum*, 77
— — **aurantiacum**, 78
— *theiferum*, 77
Weinmannia Denhamii, 250
— **Kajewskii**, 250
— *Macgillivrayi*, 251
— **tannaensis**, 251
WOODWORTH, ROBERT H. Cytomyxis,
23
— — Polyploidy in the Betulaceae, 206
Xolisma ovalifolia hebecarpa, 275
Xylosma congestum kwangtungensis,
272

